



# Central Depository Services (India) Limited

Convenient ⊕ Dependable ⊕ Secure

## COMMUNIQUÉ TO DEPOSITORY PARTICIPANTS

---

CDSL/OPS/DP/POLCY/2023/404

July 12, 2023

### TRANSMISSION AND DELETION OF NAME

DPs are advised to refer to Communique no. CDSL/OPS/DP/POLCY/2023/195 dated March 28, 2023 regarding the release of the functionality of capturing the Mode of Operation in Joint Demat Accounts. Further, we had also informed that the operational modalities related to Transmission of Securities to joint holders will be communicated to the DPs separately.

In view of the above, CDSL is now pleased to inform the DPs, regarding the release of Transmission of securities to joint holders i.e. deletion of name of the deceased holder, whereby system will allow the DPs to delete the name of the deceased holders in CDAS system due to the death of the joint holder to enable the existing account to be continued by the surviving holder [s]. It should be noted that capturing the date of death of the deceased holder as per the death certificate is mandatory in the system, However, if the date of death of the deceased holder is more than 365 Days, then the system will not allow the deletion of the name of the deceased holder. In this case existing transmission procedure to be followed by the DPs.

#### **Facility to delete the name of the deceased holder will be in the following order.**

- In case the first holder is deceased, the DP has to use the BO setup upload file format **Annexure-A** for deletion of first holders name and details i.e. the existing POA BO ID links, SMS alert registration, Pledge acceptance flag, BSDA flag if any, nomination details and the UCC details etc. Further DP has to capture the name and details of second holder in place of the first holder along with the “Deletion Flag for First Holder”, “Reason Code for Deletion” and “Date of Death of First Holder”. If any third holder is present, then DP has to capture the details of third holder in place of second holder.
- If the second holder is deceased, the DP has to use the BO modify upload file format **Annexure-B** for deletion of second holders name and details. Further DP has to capture the “Deletion Flag for Second Holder”, “Reason Code for Deletion” and “Date of Death of Second Holder”. In case third holder is present, then the system will replace the name and details of the third holder in place of the second holder details.
- If the third holder is deceased, the DP has to use the BO modify upload file format **Annexure-B** for deletion of the third holders name and details. Further DP has to Capture the “Deletion Flag For Third Holder”, “Reason Code For Deletion” and “Date of Death of



# Central Depository Services (India) Limited

Convenient ⊕ Dependable ⊕ Secure

## COMMUNIQUÉ TO DEPOSITORY PARTICIPANTS

---

Third Holder” and there will be no change in the first holder and the second holder placement in the system.

- In case of death of the first holder, existing signature captured in the system will be deleted and DP will have to capture the fresh signature. In case of death of second or third holder or both second and third holder DP will have to replace existing signature with the fresh signature as per the order of the surviving holders, wherever applicable.

DPs may note that the amendments to the CDSL DP Operating Instruction with regard to the above procedure has been already released vide our Communique no. CDSL/OPS/DP/POLCY/2022/147 dated March 15, 2022, and CDSL/OPS/DP/POLCY/2023/232 April 13, 2023

Enclosed are the annexures containing file formats: -

| Sr. No. | Annexure   | Description      |
|---------|------------|------------------|
| 1       | Annexure A | BO setup Upload  |
| 2       | Annexure B | BO modify upload |

The release date of the above functionality will be informed separately. DPs are advised to note the system changes and make the necessary back-office changes, wherever applicable.

Queries regarding this communiqué may be addressed to: **CDSL – Helpdesk**. Emails may be sent to: [helpdesk@cdslindia.com](mailto:helpdesk@cdslindia.com) or they may be reached on telephone number 08069144800.

sd/-

**Nilesh Shah**  
**Asst. Vice President - Operations**

**FILE FORMAT: BO SET UP UPLOAD****File Name:** <08><DPID>.<3 to 5 digits running serial number>**Input Type:** Mandatory / Optional**Header Record:** This record will contain:

| FIELD DESCRIPTION    | FIELD TYPE | FIELD SIZE | INPUT TYPE |
|----------------------|------------|------------|------------|
| DPID                 | NUMBER     | 6          | M          |
| OPERATOR ID          | CHAR       | 6          | M          |
| TOTAL NO. OF RECORDS | NUMBER     | 5          | M          |

**Details Records:** This record will contain following lines:**First Line**

| FIELD DESCRIPTION       | FIELD TYPE | FIELD SIZE | INPUT TYPE                    |
|-------------------------|------------|------------|-------------------------------|
| 01                      | NUMBER     | 2          | M (Line Number of the record) |
| SERIAL NO ( Unique )    | NUMBER     | 4          | M                             |
| BO ID                   | NUMBER     | 16         | O                             |
| BO REQUEST RECEIVE DATE | DATE       | 14         | M                             |

**Second Line (First Account Holder):**

| FIELD DESCRIPTION     | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|-----------------------|------------|------------|---|
| 02                    | NUMBER     | 2          | M (Line Number of the record)   |
| PRODUCT NUMBER        | NUMBER     | 4          | M   |
| BO NAME               | CHAR       | 100        | M   |
| BO MIDDLE NAME        | CHAR       | 20         | O   |
| LAST / SEARCH NAME    | CHAR       | 20         | M   |
| BO TITLE              | CHAR       | 10         | O   |
| BO SUFFIX             | CHAR       | 10         | O   |
| FATHER / HUSBAND NAME | CHAR       | 50         | O   |
| CUST ADDR 1           | CHAR       | 55         | M   |
| CUST ADDR 2           | CHAR       | 55         | O   |
| CUST ADDR 3           | CHAR       | 55         | O   |
| CUST ADDR CNTRY CODE  | CHAR       | 02         | M<br>ISO 3166-1 alpha-2 Format  |
| CUST ADDR ZIP         | CHAR       | 10         | M   |
| CUST ADDR STATE CODE  | CHAR       | 06         | M<br>Mandatory if Country code IN (India). Value to be in ISO 3166-2 Format |
| CUST ADDR STATE       | CHAR       | 25         | M<br>Mandatory if Country code  |

| FIELD DESCRIPTION            | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|------------------------------|------------|------------|---|
|                              |            |            | other than IN Else will be ignored  |
| CUST ADDR CITY               | CHAR       | 25         | M   |
| CITY SEQUENCE NUMBER         | NUMBER     | 2          | M<br>If country code is IN then mandatory. Default value will be 00   |
| SMART REGISTRATION INDICATOR | CHAR       | 1          | O<br>Y – SMART REGISTRATION<br>Blank – No SMART Registration  |
| PRIMARY MOBILE NO ISD CODE   | NUMBER     | 6          | M   |
| PRIMARY MOBILE NO            | CHAR       | 17         | M   |
| SECONDARY ISD CODE           | NUMBER     | 6          | O<br>MANDATORY IF SECONDARY MOBILE /PHONE ISD CODE PRESENT  |
| SECONDARY MOBILE / PHONE     | CHAR       | 17         | O<br>MANDATORY IF SECONDARY MOBILE / PHONE ISD CODE PRESENT   |
| SECONDARY EMAIL              | CHAR       | 100        | O<br>ONLY 1 EMAIL TO BE ENTERED   |
| CUST FAX                     | CHAR       | 17         | O   |
| INCOME TAX PAN               | CHAR       | 10         | M   |
| UID                          | CHAR       | 16         | O / M<br>Mandatory if UID verification flag is present  |
| UID VERIFICATION FLAG        | CHAR       | 1          | O<br>UID VERIFICATION FLAG<br>0 – UID NOT VERIFIED<br>2 – UID VERIFIED BY DP  |
| POA Type Flag                | CHAR       | 1          | O<br>Mandatory for POA Master Creation<br>If POA Type Flag is 'C', then Purpose Code 21 details will be mandatory for CM POA.<br>If POA Type Flag is 'R', then it will be considered as a Regular POA<br>If POA Type Flag is 'P', then it will be considered as a PMS |

| FIELD DESCRIPTION                      | FIELD TYPE  | FIELD SIZE | INPUT TYPE  |
|--|---|------------|---|
|  |   |            | POA<br>If POA Type Flag is 'D', then it will be considered as a DDPI<br>POA   |
| FILLER1                                | CHAR  | 2          | Should be blank space   |
| IT CIRCLE                              | CHAR  | 15         | O   |
| PRIMARY EMAIL                          | CHAR  | 100        | M<br>ONLY 1 EMAIL SHOULD BE ENTERED   |
| LEGAL ENTITY IDENTIFIER (LEI)          | CHAR  | 20         | O   |
| USER TEXT 1                            | CHAR  | 30         | O   |
| USER TEXT 2                            | CHAR  | 50         | O   |
| USER FIELD 3                           | NUMBER  | 4          | O   |
| USER FIELD 4<br>(PAN Exemption Code)   | CHAR  | 4          | O<br>1 <sup>st</sup> character –<br>1 <sup>st</sup> Holder PAN Exemption Code<br>2 <sup>nd</sup> character –<br>2 <sup>nd</sup> Holder PAN Exemption Code<br>3 <sup>rd</sup> character –<br>3 <sup>rd</sup> Holder PAN Exemption Code |
| USER FIELD5<br>(PAN Verification Flag) | NUMBER<br>1 <sup>st</sup> character –<br>1 <sup>st</sup> Holder PAN Verification Code<br>2 <sup>nd</sup> character –<br>2 <sup>nd</sup> Holder PAN Verification Code<br>3 <sup>rd</sup> character –<br>3 <sup>rd</sup> Holder PAN Verification Code | 4          | M<br>PAN Verification flag<br>4 – PAN Exempted<br>5 – PAN Verified & Aadhar linked as confirmed by DP.  |
| SIGNATURE FILE FLAG                    | CHAR  | 1          | O (Y/N)   |
| <b>DELETION FLAG FOR FIRST HOLDER</b>  | <b>NUMBER</b>   | <b>3</b>   | <b>O</b><br><b>POSSIBLE VALUES:</b><br><b>100 – FIRST HOLDER</b>  |
| <b>REASON CODE FOR DELETION</b>        | <b>NUMBER</b>   | <b>2</b>   | <b>O</b><br><b>06 – DEATH OF 1 OR MORE HOLDER IN JOINT ACCOUNT</b>  |
| <b>DATE OF DEATH OF FIRST HOLDER</b>   | <b>DATE</b>   | <b>8</b>   | <b>O</b><br><b>DDMMYYYY</b>   |

| FIELD DESCRIPTION         | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|---------------------------|------------|------------|---|
|                           |            |            | <b>DATE ON WHICH FIRST HOLDER DIED</b>  |
| FILLER                    | CHAR       | 3          | Should be blank space   |
| FILLER                    | CHAR       | 72         | Should be blank space   |
| FILLER                    | CHAR       | 1          | Should be blank space   |
| FILLER                    | CHAR       | 1          | Should be blank space   |
| BO Account Opening Source | CHAR       | 1          | M<br>1 – Online Account opening by the BO<br>2 – Account Opening based on submission of Physical documents. |
| FILLER                    | CHAR       | 9          | Should be blank space   |

**Third Line (Second Account holder):**

| FIELD DESCRIPTION     | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|-----------------------|------------|------------|---|
| 03                    | NUMBER     | 2          | M (Line Number of the record)   |
| BO NAME               | CHAR       | 100        | M   |
| BO MIDDLE NAME        | CHAR       | 20         | O   |
| LAST / SEARCH NAME    | CHAR       | 20         | M   |
| BO TITLE              | CHAR       | 10         | O   |
| BO SUFFIX             | CHAR       | 10         | O   |
| FATHER / HUSBAND NAME | CHAR       | 50         | O   |
| INCOME TAX PAN        | CHAR       | 10         | M   |
| UID                   | CHAR       | 16         | O / M<br>Mandatory if UID verification flag is present  |
| UID Verification flag | CHAR       | 1          | O<br>UID verification flag<br>0 – UID Not Verified<br>2 – UID verified by DP                      |
| Filler                | CHAR       | 2          | O<br>Special characters are not allowed   |
| IT CIRCLE             | CHAR       | 15         | O   |
| MOBILE ISD CODE       | NUMBER     | 6          | O / M<br>MANDATORY IF MOBILE PRESENT  |
| MOBILE NUMBER         | CHAR       | 17         | O<br>MANDATORY IF MOBILE ISD CODE PRESENT<br>Mandatory if communication preference is all holders |
| EMAIL                 | CHAR       | 100        | O<br>ONLY 1 EMAIL SHOULD BE   |

| FIELD DESCRIPTION | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|-------------------|------------|------------|---|
|                   |            |            | ENTERED<br>Mandatory if communication preference is all holders |
| FILLER            | CHAR       | 16         | Should be blank space   |
| FILLER            | CHAR       | 72         | Should be blank space   |
| FILLER            | CHAR       | 1          | Should be blank space   |
| FILLER            | CHAR       | 1          | Should be blank space   |
| FILLER            | CHAR       | 10         | Should be blank space   |

**Fourth Line (Third Account Holder)**

| FIELD DESCRIPTION        | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|--------------------------|------------|------------|---|
| 04                       | NUMBER     | 2          | M (Line Number of the record)   |
| BO NAME                  | CHAR       | 100        | M   |
| BO MIDDLE NAME           | CHAR       | 20         | O   |
| LAST / SEARCH NAME       | CHAR       | 20         | M   |
| BO TITLE                 | CHAR       | 10         | O   |
| BO SUFFIX                | CHAR       | 10         | O   |
| HLDR FATHER HUSBAND NAME | CHAR       | 50         | O   |
| INCOME TAX PAN           | CHAR       | 10         | M   |
| UID                      | CHAR       | 16         | O / M<br>Mandatory if UID verification flag is present  |
| UID Verification flag    | CHAR       | 1          | O<br>UID verification flag<br>0 – UID Not Verified<br>2 – UID verified by DP                      |
| Filler                   | CHAR       | 2          | O<br>Special characters are not allowed   |
| IT CIRCLE                | CHAR       | 15         | O   |
| MOBILE ISD CODE          | NUMBER     | 6          | O / M<br>MANDATORY IF MOBILE NO PRESENT   |
| MOBILE NUMBER            | CHAR       | 17         | O<br>MANDATORY IF MOBILE ISD CODE PRESENT<br>Mandatory if communication preference is all holders |
| EMAIL                    | CHAR       | 100        | O<br>ONLY 1 EMAIL SHOULD BE ENTERED<br>Mandatory if communication preference is all holders       |

| FIELD DESCRIPTION | FIELD TYPE | FIELD SIZE | INPUT TYPE            |
|-------------------|------------|------------|-----------------------|
| FILLER            | CHAR       | 16         | Should be blank space |
| FILLER            | CHAR       | 72         | Should be blank space |
| FILLER            | CHAR       | 1          | Should be blank space |
| FILLER            | CHAR       | 1          | Should be blank space |
| FILLER            | CHAR       | 10         | Should be blank space |

**Fifth Line (Product Details):**

| FIELD DESCRIPTION                       | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|---|------------|------------|---|
| 05                                      | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD)   |
| DATE OF MATURITY                        | DATE       | DATE       | O   |
| DP INTERNAL REF NUMBER                  | CHAR       | 10         | M   |
| DATE OF BIRTH/ORIGIN                    | DATE       | DATE       | O   |
| SEX CODE                                | CHAR       | 1          | O ( FEMALE/MALE )   |
| OCCUPATION                              | CHAR       | 4          | O   |
| LIFE STYLE                              | CHAR       | 4          | O   |
| GEOGRAPHICAL CODE                       | CHAR       | 4          | O   |
| EDUCATION/DEGREE                        | CHAR       | 4          | O   |
| ANNUAL INCOME CODE                      | NUMBER     | 4          | M   |
| NATIONALITY CODE                        | CHAR       | 3          | O   |
| LEGAL STATUS CODE                       | NUMBER     | 2          | O   |
| BO FEE TYPE                             | NUMBER     | 2          | O   |
| LANGUAGE CODE                           | NUMBER     | 2          | O   |
| CATEGORY 4 CODE                         | NUMBER     | 2          | O   |
| BANK OPTION 5                           | NUMBER     | 2          | O   |
| STAFF / RELATIVE                        | CHAR       | 1          | O ( STAFF/RELATIVE/NONE)  |
| STAFF CODE                              | CHAR       | 10         | O   |
| NOMINATION OPT-OUT                      | CHAR       | 1          | O / M<br>Y – YES<br>N – NO<br>Mandatory for individual accounts.  |
| 25 BYTE ALPHANUMERIC CODE 1 USER TEXT 1 | CHAR       | 37         | O   |
| BONAFIDE FLAG                           | CHAR       | 1          | O<br>VALUES CAN BE<br>'P' – Physical OR<br>'E' – Electronic (Easi Easiest) OR<br>'A' – Online A/c Opening through DP portal |
| FAMILY ACCOUNT FLAG                     | CHAR       | 1          | O<br>(Y / N)<br>By default it will be 'N'   |



| FIELD DESCRIPTION                   | FIELD TYPE | FIELD SIZE | INPUT TYPE   |
|-------------------------------------|------------|------------|--|
| EMAIL STATEMENT FLAG                | CHAR       | 1          | O (Y/N)<br>IF EMAIL STATEMENT FLAG IS Y,<br>FIRST HOLDER EMAIL IS<br>MANDATORY<br>BY DEFAULT IT WILL BE 'N'  |
| CAS MODE                            | CHAR       | 2          | O<br>NO: CAS NOT REQUIRED<br>PH: PHYSICAL CAS REQUIRED   |
| MENTAL DISABILITY                   | CHAR       | 1          | O (Y/N)<br>IF MENTAL DISABILITY IS Y,<br>GUARDIAN DETAILS IS<br>MANDATORY<br>BY DEFAULT IT WILL BE 'N'       |
| FILLER 1                            | CHAR       | 1          | O<br>Should be blank space   |
| RGESS FLAG                          | CHAR       | 1          | O  |
| ANNUAL REPORT FLAG                  | CHAR       | 1          | O  |
| PLEDGE STANDING<br>INSTRUCTION FLAG | CHAR       | 1          | O  |
| EMAIL RTA DOWNLOAD<br>FLAG          | CHAR       | 1          | O  |
| BSDA FLAG                           | CHAR       | 1          | O<br>Y : BSDA<br>N : Non BSDA<br>O : Opted Out<br>( IF NO VALUE ENTERED, THEN<br>DEFAULT VALUE SHALL BE 'N') |
| FILLER                              | CHAR       | 50         | O  |
| MODE OF OPERATION                   | NUMBER     | 4          | M<br>Possible values:<br>0 – Sole Holder<br>1 – Jointly<br>2 – Anyone or Survivor                            |
| COMMUNICATION<br>PREFERENCE         | NUMBER     | 4          | O / M<br>Mandatory for a/cs with Joint<br>holders<br>1 – First Holder<br>2 – All Holders                     |
| NUMERIC 4 (DUMMY)                   | NUMBER     | 4          | O  |
| SECURITY ACCESS CODE                | NUMBER     | 2          | O  |
| BO CATEGORY                         | NUMBER     | 2          | M  |
| BO SETTLEMENT<br>PLANNING FLAG      | CHAR       | 1          | M  |
| DIVIDEND BANK IFSC<br>CODE          | CHAR       | 15         | O  |

| FIELD DESCRIPTION                | FIELD TYPE | FIELD SIZE | INPUT TYPE                          |
|----------------------------------|------------|------------|-------------------------------------|
| RBI REFERENCE NUMBER             | CHAR       | 30         | O                                   |
| RBI APPROVAL DATE                | DATE       | DATE       | O                                   |
| SEBI REGISTRATION NUMBER         | CHAR       | 24         | O                                   |
| BENEFICIARY TAX DEDUCTION STATUS | NUMBER     | 2          | O                                   |
| SMART CARD REQUIRED              | CHAR       | 1          | O ( Y / N )                         |
| SMART CARD NUMBER                | CHAR       | 20         | O                                   |
| SMART CARD PIN                   | NUMBER     | 10         | O                                   |
| ECS/MANDATE                      | CHAR       | 1          | O                                   |
| ELECTRONIC CONFIRMATION          | CHAR       | 1          | O ( Y / N )                         |
| DIVIDEND CURRENCY                | NUMBER     | 6          | O                                   |
| GROUP CODE                       | CHAR       | 8          | O                                   |
| BO SUB STATUS                    | NUMBER     | 4          | M                                   |
| CLEARING CORPORATION ID          | NUMBER     | 4          | O                                   |
| CLEARING MEMBER ID               | CHAR       | 8          | O                                   |
| STOCK EXCHANGE                   | NUMBER     | 2          | O                                   |
| CONFIRMATION WAIVED              | CHAR       | 1          | O                                   |
| TRADING ID                       | CHAR       | 8          | O                                   |
| BO STATEMENT CYCLE CODE          | CHAR       | 2          | M                                   |
| CUSTODIAN / PMS EMAIL ID         | CHAR       | 50         | O<br>ONLY 1 EMAIL SHOULD BE ENTERED |
| DIVND BANK ACCT TYPE             | CHAR       | 12         | M                                   |
| DIVND BANK CODE                  | CHAR       | 12         | M                                   |
| DIVND ACCT NUMB                  | CHAR       | 20         | M                                   |
| DIVND BANK CCY                   | NUMBER     | 6          | M                                   |

Annual Report Flag can have following values:

|   |  |
|---|--|
| 1 | Physical Annual Report                     |
| 2 | Electronic Annual Report                   |
| 3 | Both Physical and Electronic Annual Report |

#### Sixth Line (POA Link details):

Separate line to link POA for each holder with purpose code 0001, 0002, 0003 or single line to link POA for all holders with purpose code 0004.

This line can be repeated multiple times as 1<sup>st</sup>, 2<sup>nd</sup> and 3<sup>rd</sup> Holders can have multiple POA's.

| FIELD DESCRIPTION | FIELD TYPE | FIELD SIZE | INPUT TYPE                    |
|-------------------|------------|------------|-------------------------------|
| 06                | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD) |
| POA ID            | CHAR       | 16         | M                             |

| FIELD DESCRIPTION                       | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|---|------------|------------|---|
| (POA REGISTRATION NO.)                  |            |            |   |
| SETUP DATE                              | DATE       | DATE       | M   |
| POA TO OPERATE A/C                      | CHAR       | 1          | O ( Y / N )   |
| GPA/BPA FLAG                            | CHAR       | 1          | M<br>B – Bank Specific<br>G – General purpose<br>S – Settlement<br>P – Margin Pledge<br>M – Mutual Fund<br>T – Tender Offer |
| EFFECTIVE FROM DATE                     | DATE       | DATE       | M   |
| EFFECTIVE TO DATE                       | DATE       | DATE       | O   |
| USER FIELD 1                            | NUMBER     | 4          | O   |
| USER FIELD 2                            | NUMBER     | 4          | O   |
| CA CHARFLD (REMARK)                     | CHAR       | 50         | O   |
| FILLER 1                                | CHAR       | 100        | O   |
| FILLER 2                                | CHAR       | 20         | O   |
| FILLER 3                                | CHAR       | 20         | O   |
| FILLER 4                                | CHAR       | 10         | O   |
| FILLER 5                                | CHAR       | 10         | O   |
| FILLER 6                                | CHAR       | 50         | O   |
| FILLER 7                                | CHAR       | 30         | O   |
| FILLER 8                                | CHAR       | 30         | O   |
| FILLER 9                                | CHAR       | 30         | O   |
| FILLER 10                               | CHAR       | 25         | O   |
| FILLER 11                               | CHAR       | 25         | O   |
| FILLER 12                               | CHAR       | 25         | O   |
| FILLER 13                               | CHAR       | 10         | O   |
| FILLER 14                               | CHAR       | 1          | O   |
| FILLER 15                               | CHAR       | 17         | O   |
| FILLER 16                               | CHAR       | 1          | O   |
| FILLER 17                               | CHAR       | 17         | O   |
| FILLER 18                               | CHAR       | 100        | O   |
| FILLER 19                               | CHAR       | 17         | O   |
| FILLER 20                               | CHAR       | 10         | O   |
| FILLER 21                               | CHAR       | 15         | O   |
| FILLER 22                               | CHAR       | 15         | O   |
| FILLER 23                               | CHAR       | 50         | O   |
| USER TEXT 1<br>POA Master ID (16 digit) | CHAR       | 50         | M   |
| FILLER 24                               | CHAR       | 50         | O   |

| FIELD DESCRIPTION                          | FIELD TYPE | FIELD SIZE | INPUT TYPE |
|--|------------|------------|------------|
| USER FIELD 3<br>(POA LINK PURPOSE<br>CODE) | NUMBER     | 4          | M          |
| FILLER 25                                  | NUMBER     | 4          | O          |
| FILLER 26                                  | NUMBER     | 4          | O          |
| FILLER 27                                  | CHAR       | 1          | O          |

**Seventh Line is for Permanent Address Details purpose code should be 12**

| FIELD DESCRIPTION        | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|--------------------------|------------|------------|---|
| N WHERE N = 7            | NUMBER     | 2          | M (LINE NUMBER OF THE<br>RECORD)  |
| PURPOSE CODE (12)        | NUMBER     | 2          | M   |
| BO NAME                  | CHAR       | 100        | M   |
| BO MIDDLE NAME           | CHAR       | 20         | O   |
| LAST / SEARCH NAME       | CHAR       | 20         | M   |
| BO TITLE                 | CHAR       | 10         | O   |
| BO SUFFIX                | CHAR       | 10         | O   |
| FATHER / HUSBAND<br>NAME | CHAR       | 50         | O   |
| CUST ADDR 1              | CHAR       | 55         | M   |
| CUST ADDR 2              | CHAR       | 55         | O   |
| CUST ADDR 3              | CHAR       | 55         | O   |
| CUST ADDR CNTRY<br>CODE  | CHAR       | 02         | M<br>ISO 3166-1 alpha-2 Format  |
| CUST ADDR ZIP            | CHAR       | 10         | M   |
| CUST ADDR STATE CODE     | CHAR       | 06         | M<br>Mandatory if Country code IN<br>(India). Value to be in ISO<br>3166-2 Format |
| CUST ADDR STATE          | CHAR       | 25         | M<br>Mandatory if Country code<br>other than IN Else will be<br>ignored           |
| CUST ADDR CITY           | CHAR       | 25         | M   |
| CITY SEQUENCE<br>NUMBER  | NUMBER     | 2          | M<br>If country code is IN then<br>mandatory. Default value will<br>be 00         |
| FAX                      | CHAR       | 17         | O   |
| INCOME TAX PAN           | CHAR       | 25         | O   |
| IT CIRCLE                | CHAR       | 15         | O   |
| USER TEXT 1              | CHAR       | 50         | O   |
| USER TEXT 2              | CHAR       | 50         | O   |
| USER FIELD 3             | NUMBER     | 4          | O   |

| FIELD DESCRIPTION | FIELD TYPE | FIELD SIZE | INPUT TYPE                      |
|-------------------|------------|------------|---------------------------------|
| USER FIELD 4      | NUMBER     | 4          | O                               |
| USER FIELD 5      | NUMBER     | 4          | O                               |
| FILLER            | CHAR       | 100        | O<br>(It should be blank space) |

Eight line onwards lines can be added to enter Additional Name and Address for following purpose codes

- Purpose Code 06 – Nominee Name and address
- Purpose Code 07 – Guardian Name and address
- Purpose Code 08 – Nominee’s Guardian Name and address
- Purpose Code 18 – Authorized Signatory
- Purpose Code 23 – PMS Manager Details (Mandatory for PMS Client account)

This line is mandatory for Corporate / HUF / Bank / FI / Trust type of accounts.

| FIELD DESCRIPTION          | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|----------------------------|------------|------------|---|
| N WHERE N > 7              | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD)   |
| PURPOSE CODE               | NUMBER     | 2          | M   |
| BO NAME                    | CHAR       | 100        | M   |
| BO MIDDLE NAME             | CHAR       | 20         | O   |
| LAST / SEARCH NAME         | CHAR       | 20         | M   |
| BO TITLE                   | CHAR       | 10         | O   |
| BO SUFFIX                  | CHAR       | 10         | O   |
| FATHER HUSBAND NAME        | CHAR       | 50         | O   |
| CUST ADDR 1                | CHAR       | 55         | M   |
| CUST ADDR 2                | CHAR       | 55         | O   |
| CUST ADDR 3                | CHAR       | 55         | O   |
| CUST ADDR CNTRY CODE       | CHAR       | 02         | M<br>ISO 3166-1 alpha-2 Format  |
| CUST ADDR ZIP              | CHAR       | 10         | M   |
| CUST ADDR STATE CODE       | CHAR       | 06         | M<br>Mandatory if Country code IN (India). Value to be in ISO 3166-2 Format |
| CUST ADDR STATE            | CHAR       | 25         | M<br>Mandatory if Country code other than IN Else will be ignored           |
| CUST ADDR CITY             | CHAR       | 25         | M   |
| CITY SEQUENCE NUMBER       | NUMBER     | 2          | M<br>If country code is IN then mandatory. Default value will be 00         |
| PRIMARY MOBILE NO ISD CODE | NUMBER     | 6          | O / M<br>MANDATORY IF PRIMARY   |

| FIELD DESCRIPTION        | FIELD TYPE         | FIELD SIZE   | INPUT TYPE  |
|--------------------------|--------------------|--|---|
|                          |                    |  | MOBILE NO PRESENT   |
| PRIMARY MOBILE NO        | CHAR               | 17   | O / M<br>MANDATORY IF PRIMARY<br>MOBILE NO ISD CODE<br>PRESENT  |
| DATE OF BIRTH            | DATE               | DATE   | O   |
| FAX                      | CHAR               | 17   | O   |
| INCOME TAX PAN           | CHAR               | 10   | O   |
| UID                      | CHAR               | 16   | O / M<br>Mandatory if UID verification<br>flag is present   |
| UID Verification flag    | CHAR               | 1  | O<br>For purpose code 18<br>UID verification flag<br>0 – UID Not Verified<br>2 – UID verified by DP   |
| IT CIRCLE                | CHAR               | 15   | O   |
| E-MAIL                   | CHAR               | 100  | O   |
| USER TEXT 1              | CHAR<br>AS REMARKS | 50<br>AS REMARKS   | O<br>Authorized Signatory Remarks   |
| USER TEXT 2              | CHAR               | 50<br>12 CHARACTER<br>SEBI<br>REGISTRATION<br>NUMBER OF PMS<br>MANAGER<br>(PURPOSE CODE<br>23) FOLLOWED<br>BY SPACES | O<br>12 CHARACTER SEBI<br>REGISTRATION NUMBER OF<br>PMS MANAGER (PURPOSE<br>CODE 23) FOLLOWED BY<br>SPACES  |
| USER FIELD 3             | NUMBER             | 4  | O   |
| USER FIELD 4             | NUMBER             | 4  | O   |
| USER FIELD5              | NUMBER             | 4  | O   |
| NOMINEE SERIAL<br>NUMBER | NUMBER             | 2  | M (For Purpose code 6 and 8)<br>Values:<br>01– First nominee<br>02 – Second Nominee<br>03 – Third Nominee<br>O – Other than Purpose code 6<br>& 8 |
| RELATIONSHIP WITH BO     | NUMBER             | 2  | M (For Purpose code 6,7,8)<br>O – other than Purpose code<br>6,7,8<br>Values can Be:<br>01 – Spouse<br>02 – Son                                   |

| <b>FIELD DESCRIPTION</b> | <b>FIELD TYPE</b> | <b>FIELD SIZE</b> | <b>INPUT TYPE</b>  |
|--------------------------|-------------------|-------------------|--|
|                          |                   |                   | 03 – Daughter<br>04 – Father<br>05 – Mother<br>06 – Brother<br>07 – Sister<br>08 – Grand-Son<br>09 – Grand-Daughter<br>10 – Grand-Father<br>11 – Grand-Mother<br>12 – Not Provided (if the relationship is not provided on nomination form)<br>13 – Others |
| PERCENTAGE OF SHARES     | NUMBER            | (5,2)             | M (For Purpose code 6)<br>O – Optional for other than Purpose code 6 with default value "00000"<br>The file should have value like 10000(100%), 09725(97.25%), 05000(50%) etc  |
| RESIDUAL SECURITIES FLAG | CHAR              | 1                 | M (For Purpose code 6)<br>Values:<br>Y- Yes<br>N- No<br>Default value is "N"<br>O (For Purpose code 7,8,18- it should be space)  |
| FILLER                   | CHAR              | 16                | O<br>Should be blank space   |
| FILLER                   | CHAR              | 72                | O<br>Should be blank space   |
| FILLER                   | CHAR              | 1                 | O<br>Should be blank space   |
| FILLER                   | CHAR              | 1                 | O<br>Should be blank space   |
| FILLER                   | CHAR              | 10                | O<br>Should be blank space   |

The following line is added to the File format for Mapping of CM Accounts With CM POA / PMS POA / DDPI Master.

| <b>FIELD DESCRIPTION</b> | <b>FIELD TYPE</b> | <b>FIELD SIZE</b> | <b>INPUT TYPE</b>             |
|--------------------------|-------------------|-------------------|-------------------------------|
| N WHERE N > 7            | NUMBER            | 2                 | M (LINE NUMBER OF THE RECORD) |
| PURPOSE CODE             | NUMBER            | 2                 | M                             |

|   |        |    |   |
|---|--------|----|---|
| 21<br>Mapping of CM Accounts<br>With CM POA / PMS POA<br>/ DDPI Master. |        |    |   |
| MAPPING UNMAPPING<br>FLAG   | NUMBER | 1  | M<br>1 - MAP<br>3 - MAP ALL CM ACCOUNTS         |
| EX ID   | NUMBER | 2  | O   |
| CM ID   | CHAR   | 8  | O   |
| CM Account To Be<br>Mapped  | CHAR   | 16 | O<br>Mandatory if MAPPING<br>UNMAPPING FLAG = 1 |

The following line is added for capturing BO-UCC Link (Unique Client Code) details.

| FIELD DESCRIPTION                         | FIELD TYPE | FIELD SIZE | INPUT TYPE   |
|---|------------|------------|--|
| N WHERE N > 7                             | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD)  |
| 22<br>PURPOSE CODE<br>BO-UCC Link Details | NUMBER     | 2          | M  |
| BO-UCC Link Add/Delete<br>Flag            | CHAR       | 1          | M<br>(A – Add Only allowed)  |
| Consent Flag                              | NUMBER     | 2          | M<br>1 – BO - UCC Linking will be<br>done only for the BOID setup in<br>this upload file<br>2 – BO - UCC Linking will be<br>done for all BO accounts with<br>same 1 <sup>st</sup> Holder PAN |
| Exchange ID                               | Number     | 2          | M  |
| UCC<br>(Unique Client Code)               | CHAR       | 11         | M  |
| Segment Code<br>(Settlement type code)    | CHAR       | 2          | M  |
| CM ID<br>(Clearing Member Code)           | CHAR       | 8          | M  |
| TM Code<br>(Trading Member Code)          | CHAR       | 8          | M  |

**NOTES:**

- No field separators should be used.
- Spaces should be used in case if a field does not have a value.
- All numeric fields should be right justified with zero padding.
- All alphanumeric fields should be left justified with padding as spaces.



- For BO setup, every detail record will contain the following lines. If a line contains no data, then that line will not be written. Line numbers 01, 02, 05 and 07 are mandatory.
- For POA setup, every detail record mandatory Line Numbers are 01 , 02 , 05 only
- For PAN verification flag value needs to be 5 i.e. PAN Verified & Aadhaar linked as confirmed by DP
  - For Only first Holder - 5000
  - For first and second holder - 5500
  - For All Holders - 5550
  - For second and third Holder - 0550
- For Minor account
  - Guardian details are mandatory
  - Minor account should have only first holder
- For Mantra Accounts
  - POA link for all holder details are mandatory
  - In 06 line for POA link details, effective to date should be '0000000'
- POA Link Details
  - Purpose code for POA link are -
    - 0001 for First Holder
    - 0002 for Second Holder
    - 0003 for Third Holder
    - 0004 for All Holders
  - 16 Digit POA Master ID will be entered in User text 1 field
  - Purpose code specify in user field 3
- Product Details
  - ECS/Mandate flag is 'Y' then must specify correct Dividend bank details.
- The additional name and address record line is not mandatory except for Corporate / HUF / CM / Minor and there can be one or more additional lines.
- For Authorized signatory, in BO name specify Authorized signatory Name and in User Text 1 specify remarks. Other Field details not required for Authorized signatory.
- Authorized signatory details mandatory for Corporate / HUF type of accounts / CM
- Signature File Details
  - If Signature file flag is 'N' then signature file is not required. If the signature flag is 'Y', then the signature file should be present in same folder. The signature file in image file extension can be - \*.jpg / \*.gif / \*.tif / \*.jpeg / \*.tiff / \*.pic / \*.pnj / \*.png
- The naming convention of signature file should be as below:
  - b + file extension + serial number + IMAGE FILENAME. file extension
  - For BO bxxxxyyyfilename.jpg

- Where xxx is 3-digit file extension
- yyyy is 4-digit serial number of the Bo record.
- e.g., DP is uploading file with 2 signatures with filename as 08010601.0123 and signature flag is 'Y' in second line (first account holder details of the first record), then naming convention for signature will be as follows:
  - b0123<0001><filename1><image Filename>.jpg (or any valid extension)
  - b0123<0001><filename2>><image Filename>.jpg (or any valid extension)
- the signature image file should exist in the same path where the data file exists.
- the name of the folder in which files exist should be a single word without any spaces and folder name length should be less than or equal to '8'.
- The name of the folder can be "botest" and not as "bo test".
- For BSDA account, SMS registration is mandatory.
- The PAN of the first holder of the proposed BSDA account is not existing as the PAN of first holder in another CDSL account with status 'Active/to be closed'.
- If annual report flag is '2' (Electronic) or 3 'Both Physical And Electronic', first holder email id should exist
- If Mental Disability Flag is 'Y', then the Guardian Details will be mandatory.
- If Email Statement Flag is 'Y' and CAS mode is blank, then CAS Mode will be updated to EC (eCAS).
- BO REQUEST RECEIVE DATE- Date (with time) on which request received from BO.
- Mapping of CM Accounts with CM POA Master
  - The purpose code 21 can be repeated for mapping of multiple CM Accounts with CM POA Master, but the line number should be in incremental order.
- The Family Account Flag will be applicable only for BO and not for POA. Default value for the Family Account Flag will be 'N'.
- The Custodian Email ID will be applicable only for BO and not for POA.
- UID will be mandatory only if UID verification flag is present.
- UID verification flag is not applicable for Guardian, Nominee and Nominees guardian.
- BO Account Opening Request received source field is mandatory and should contain value as either:
  - 1 – Online Account opening through DP Portal Or
  - 2 – Physical Form submitted by BO.
- Income range slabs are to be updated as per below mentioned details.

I Income Range for Individuals -

| Code | Description           |
|------|-----------------------|
| 1    | Upto Rs.1 lakhs       |
| 6    | 1,00,001 To 5,00,000  |
| 7    | 5,00,001 To 10,00,000 |

|   |                        |
|---|------------------------|
| 8 | 10,00,001 To 25,00,000 |
| 9 | MORE THAN 25,00,000    |

## II Income Range for Non-Individuals

| Code | Description              |
|------|--------------------------|
| 1    | Upto Rs.1 lakhs          |
| 6    | 1,00,001 To 5,00,000     |
| 7    | 5,00,001 To 10,00,000    |
| 8    | 10,00,001 To 25,00,000   |
| 10   | 25,000,01 to 1,00,000,00 |
| 11   | More than 1,00,000,00    |

- Communication Preference
  - If communication preference value is selected as "2" (All Holders) then, Email and Mobile no of joint holders will be mandatory.
- PMS manager details are mandatory for PMS client account opening. For PMS manager details, in BO name specify PMS Manager Name and enter SEBI registration number of PMS manager in User Text 2 field. Other Field details not required for PMS manager.

- **Name deletion:**

***The details for "Deletion Flag for First Holder", "Reason Code for Deletion" and "Date of Death of First holder" fields should be captured only if the first holder of existing BO has died, and the Surviving holder becomes the first holder. DP needs to enter the values for all fields as if he is opening new account.***

**FILE FORMAT: BO MODIFY UPLOAD**

**File Name** : <11><DP ID 6 DIGIT>.<3 to 5 digits running serial number>

**Input Type** : [M] = Mandatory

[O] = Optional

[N] = Non-Modifiable

**Header Record:** This record will contain following fields:

| FIELD DESCRIPTION    | FIELD TYPE | FIELD SIZE | INPUT TYPE |
|----------------------|------------|------------|------------|
| DP ID                | NUMBER     | 6          | M          |
| OPERATOR ID          | CHAR       | 6          | M          |
| TOTAL NO. OF RECORDS | NUMBER     | 5          | M          |

**Detail Record:** Every detail record will contain following lines. If a line contains no data then that line will not be written. Only Line number 01 is mandatory.

**First Line**

| FIELD DESCRIPTION       | FIELD TYPE | FIELD SIZE | INPUT TYPE                    |
|-------------------------|------------|------------|-------------------------------|
| 01                      | NUMBER     | 2          | M (Line Number of the record) |
| BOID                    | NUMBER     | 16         | M                             |
| BO REQUEST RECEIVE DATE | DATE       | 14         | M                             |

**Second Line (First Account Holder)**

| FIELD DESCRIPTION     | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|-----------------------|------------|------------|---|
| 02                    | NUMBER     | 2          | M (Line Number of the record)   |
| PRODUCT NUMBER        | NUMBER     | 4          | O<br>(From product 1 to 3 or vice versa)  |
| BO NAME               | CHAR       | 100        | O   |
| BO MIDDLE NAME        | CHAR       | 20         | O   |
| LAST / SEARCH NAME    | CHAR       | 20         | O   |
| BO TITLE              | CHAR       | 10         | O   |
| BO SUFFIX             | CHAR       | 10         | O   |
| FATHER / HUSBAND NAME | CHAR       | 50         | O   |
| ADDRESS 1             | CHAR       | 55         | O   |
| ADDRESS 2             | CHAR       | 55         | O   |
| ADDRESS 3             | CHAR       | 55         | O   |
| COUNTRY CODE          | CHAR       | 02         | O<br>ISO 3166-1 alpha-2 Format  |
| ZIP CODE              | CHAR       | 10         | O   |
| STATE CODE            | CHAR       | 06         | O<br>IF COUNTRY CODE IS IN(INDIA) THEN STATE CODE IS MANDATORY IN ISO 3166-2 FORMAT |
| STATE                 | CHAR       | 25         | O<br>IF COUNTRY CODE IS   |

|  |        |     |   |
|--|--------|-----|---|
|  |        |     | IN(INDIA) THIS FIELD WILL BE IGNORED ELSE IT IS MANDATORY   |
| CITY                                     | CHAR   | 25  | O   |
| CITY SEQUENCE NO                         | NUMBER | 2   | O<br>If country code is IN then mandatory. Default value will be 00   |
| SMART REGISTRATION                       | CHAR   | 1   | O<br>Y – SMART REGISTRATION<br>N – SMART DEREGISTRATION   |
| PRIMARY MOBILE NUMBER ISD CODE           | NUMBER | 6   | O<br>MANDATORY IF PRIMARY MOBILE NUMBER PRESENT   |
| PRIMARY MOBILE NUMBER                    | CHAR   | 17  | O<br>MANDATORY IF PRIMARY MOBILE NUMBER ISD CODE PRESENT  |
| SECONDARY MOBILE / TELEPHONE NO ISD CODE | NUMBER | 6   | O<br>MANDATORY IF SECONDARY MOBILE / TELEPHONE NUMBER PRESENT   |
| SECONDARY MOBILE / TELEPHONE NUMBER      | CHAR   | 17  | O<br>MANDATORY IF SECONDARY MOBILE / TELEPHONE NUMBER ISD CODE PRESENT  |
| SECONDARY EMAIL                          | CHAR   | 100 | O<br>ONLY ONE EMAIL ID SHOULD BE ENTERED  |
| FAX                                      | CHAR   | 17  | O   |
| INCOME TAX PAN                           | CHAR   | 10  | O   |
| UID                                      | CHAR   | 16  | O   |
| UID VERIFICATION FLAG                    | CHAR   | 1   | O<br>0 – NOT VERIFIED<br>2 – VERIFIED BY DP   |
| POA Type Flag                            | CHAR   | 1   | O<br>Mandatory for POA Master Creation<br>If POA Type Flag is 'C', then Purpose Code 21 details will be mandatory for CM POA.<br>If POA Type Flag is 'R', then it will be considered as a Regular POA<br>If POA Type Flag is 'P', then it will be considered as a PMS POA<br>If POA Type Flag is 'D', then it |

**BO MODIFY UPLOAD****Annexure B**

|                            |        |     |  |
|----------------------------|--------|-----|--|
|                            |        |     | will be considered as a DDPI<br>POA  |
| NAME CHANGE REASON<br>CODE | CHAR   | 2   | 0<br>(Mandatory if BO NAME is<br>changed)  |
| IT CIRCLE                  | CHAR   | 15  | 0  |
| PRIMARY E-MAIL             | CHAR   | 100 | 0<br>ONLY ONE EMAIL ID SHOULD<br>BE ENTERED  |
| LEGAL ENTITY<br>IDENTIFIER | CHAR   | 20  | 0  |
| USER TEXT 1                | CHAR   | 30  | 0  |
| USER TEXT 2                | CHAR   | 50  | 0  |
| USER FIELD 3               | NUMBER | 4   | 0  |
| PAN EXEMPTION CODE         | CHAR   | 4   | 0<br>1 <sup>st</sup> character – 1 <sup>st</sup> Holder PAN<br>Exemption Code<br>2 <sup>nd</sup> character – 2 <sup>nd</sup> Holder<br>PAN Exemption Code<br>3 <sup>rd</sup> character – 3 <sup>rd</sup> Holder PAN<br>Exemption Code          |
| PAN VERIFICATION FLAG      | NUMBER | 4   | 0<br>1 <sup>st</sup> character – 1 <sup>st</sup> Holder PAN<br>Verification Code<br>2 <sup>nd</sup> character – 2 <sup>nd</sup> Holder<br>PAN Verification Code<br>3 <sup>rd</sup> character – 3 <sup>rd</sup> Holder PAN<br>Verification Code |
| SIGNATURE FILE FLAG        | CHAR   | 1   | N (Not Modifiable)   |
| FILLER                     | CHAR   | 16  | Should be blank space  |
| FILLER                     | CHAR   | 72  | Should be blank space  |
| FILLER                     | CHAR   | 1   | Should be blank space  |
| FILLER                     | CHAR   | 1   | Should be blank space  |
| FILLER                     | CHAR   | 10  | Should be blank space  |

**Third Line (Second Account Holder)**

| FIELD DESCRIPTION        | FIELD TYPE | FIELD SIZE | INPUT TYPE                    |
|--------------------------|------------|------------|-------------------------------|
| 03                       | NUMBER     | 2          | M (Line Number of the record) |
| NAME                     | CHAR       | 100        | 0                             |
| MIDDLE NAME              | CHAR       | 20         | 0                             |
| LAST / SEARCH NAME       | CHAR       | 20         | 0                             |
| TITLE                    | CHAR       | 10         | 0                             |
| SUFFIX                   | CHAR       | 10         | 0                             |
| FATHER / HUSBAND<br>NAME | CHAR       | 50         | 0                             |
| INCOME TAX PAN           | CHAR       | 10         | 0                             |

| FIELD DESCRIPTION                      | FIELD TYPE    | FIELD SIZE | INPUT TYPE  |
|--|---------------|------------|---|
| UID                                    | CHAR          | 16         | 0   |
| UID VERIFICATION FLAG                  | CHAR          | 1          | 0<br>0 – NOT VERIFIED<br>2 – VERIFIED BY DP   |
| NAME CHANGE REASON CODE                | CHAR          | 2          | 0<br>(Mandatory if BO name is changed)  |
| IT CIRCLE                              | CHAR          | 15         | 0   |
| MOBILE NUMBER ISD CODE                 | NUMBER        | 6          | 0<br>MANDATORY IF MOBILE NUMBER IS PRESENT  |
| MOBILE NUMBER                          | CHAR          | 17         | 0<br>MANDATORY IF MOBILE NUMBER ISD CODE IS PRESENT<br>Mandatory if communication preference is all holders |
| EMAIL                                  | CHAR          | 100        | 0<br>ONLY ONE EMAIL ID SHOULD BE ENTERED<br>Mandatory if communication preference is all holders            |
| <b>DELETION FLAG FOR SECOND HOLDER</b> | <b>NUMBER</b> | <b>3</b>   | <b>0</b><br><b>POSSIBLE VALUES:</b><br><b>010 – SECOND HOLDER</b>   |
| <b>REASON CODE FOR DELETION</b>        | <b>NUMBER</b> | <b>2</b>   | <b>0</b><br><b>06 – DEATH OF 1 OR MORE HOLDER IN JOINT ACCOUNT</b>  |
| <b>DATE OF DEATH OF SECOND HOLDER</b>  | <b>DATE</b>   | <b>8</b>   | <b>0</b><br><b>DDMMYYYY</b><br><b>DATE ON WHICH SECOND HOLDER DIED</b>                                      |
| FILLER                                 | CHAR          | <b>3</b>   | Should be blank space   |
| FILLER                                 | CHAR          | 72         | Should be blank space   |
| FILLER                                 | CHAR          | 1          | Should be blank space   |
| FILLER                                 | CHAR          | 1          | Should be blank space   |
| FILLER                                 | CHAR          | 10         | Should be blank space   |

## Fourth Line (Third Account Holder)

| FIELD DESCRIPTION | FIELD TYPE | FIELD SIZE | INPUT TYPE                    |
|-------------------|------------|------------|-------------------------------|
| 04                | NUMBER     | 2          | M (Line Number of the record) |
| NAME              | CHAR       | 100        | 0                             |
| MIDDLE NAME       | CHAR       | 20         | 0                             |
| LAST/ SEARCH NAME | CHAR       | 20         | 0                             |
| TITLE             | CHAR       | 10         | 0                             |
| SUFFIX            | CHAR       | 10         | 0                             |

| FIELD DESCRIPTION                     | FIELD TYPE    | FIELD SIZE | INPUT TYPE  |
|---------------------------------------|---------------|------------|---|
| FATHER / HUSBAND NAME                 | CHAR          | 50         | O   |
| INCOME TAX PAN                        | CHAR          | 10         | O   |
| UID                                   | CHAR          | 16         | O   |
| UID VERIFICATION FLAG                 | CHAR          | 1          | O<br>0 – NOT VERIFIED<br>2 – VERIFIED BY DP   |
| NAME CHANGE REASONS CODE              | CHAR          | 2          | O<br>(Mandatory if BO name is changed)  |
| IT CIRCLE                             | CHAR          | 15         | O   |
| MOBILE NUMBER ISD CODE                | NUMBER        | 6          | O<br>MANDATORY IF MOBILE NUMBER IS PRESENT  |
| MOBILE NUMBER                         | CHAR          | 17         | O<br>MANDATORY IF MOBILE NUMBER ISD CODE IS PRESENT<br>Mandatory if communication preference is all holders |
| EMAIL                                 | CHAR          | 100        | O<br>ONLY ONE EMAIL ID SHOULD BE ENTERED<br>Mandatory if communication preference is all holders            |
| <b>DELETION FLAG FOR THIRD HOLDER</b> | <b>NUMBER</b> | <b>3</b>   | <b>O</b><br><b>POSSIBLE VALUES:</b><br><b>001 – THIRD HOLDER</b>  |
| <b>REASON CODE FOR DELETION</b>       | <b>NUMBER</b> | <b>2</b>   | <b>O</b><br><b>06 – DEATH OF 1 OR MORE HOLDER IN JOINT ACCOUNT</b>  |
| <b>DATE OF DEATH OF THIRD HOLDER</b>  | <b>DATE</b>   | <b>8</b>   | <b>O</b><br><b>DDMMYYYY</b><br><b>DATE ON WHICH THIRD HOLDER DIED</b>                                       |
| FILLER                                | CHAR          | <b>3</b>   | Should be blank space   |
| FILLER                                | CHAR          | 72         | Should be blank space   |
| FILLER                                | CHAR          | 1          | Should be blank space   |
| FILLER                                | CHAR          | 1          | Should be blank space   |
| FILLER                                | CHAR          | 10         | Should be blank space   |

**Fifth Line (Product details) –**

| FIELD DESCRIPTION      | FIELD TYPE | FIELD SIZE | INPUT TYPE                    |
|------------------------|------------|------------|-------------------------------|
| 05                     | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD) |
| DATE OF MATURITY       | DATE       | 8          | N (NOT MODIFIABLE)            |
| DP INTERNAL REF NUMBER | CHAR       | 10         | O                             |
| DATE OF                | DATE       |            | O (MODIFIABLE)                |



| FIELD DESCRIPTION                       | FIELD TYPE | FIELD SIZE | INPUT TYPE   |
|---|------------|------------|--|
| BIRTH/ORIGIN                            |            |            |  |
| SEX CODE                                | CHAR       | 1          | O ( FEMALE/MALE )  |
| OCCUPATION                              | CHAR       | 4          | O  |
| LIFE STYLE                              | CHAR       | 4          | N (NOT MODIFIABLE)   |
| GEOGRAPHICAL CODE                       | CHAR       | 4          | O  |
| EDUCATION/DEGREE                        | CHAR       | 4          | O  |
| ANNUAL INCOME CODE                      | NUMBER     | 4          | O  |
| NATIONALITY CODE                        | CHAR       | 3          | O  |
| LEGAL STATUS CODE                       | NUMBER     | 2          | N (NOT MODIFIABLE)   |
| BO FEE TYPE                             | NUMBER     | 2          | N (NOT MODIFIABLE)   |
| LANGUAGE CODE                           | NUMBER     | 2          | O  |
| CATEGORY 4 CODE                         | NUMBER     | 2          | N (NOT MODIFIABLE)   |
| BANK OPTION 5                           | NUMBER     | 2          | N (NOT MODIFIABLE)   |
| STAFF / RELATIVE                        | CHAR       | 1          | O ( STAFF / RELATIVE )   |
| STAFF CODE                              | CHAR       | 10         | O  |
| NOMINATION OPT-OUT                      | CHAR       | 1          | O / M<br>Y – YES<br>N – NO<br>Mandatory for individual accounts.   |
| 25 BYTE ALPHANUMERIC CODE 1 USER TEXT 1 | CHAR       | 37         | N (NOT MODIFIABLE)   |
| BONAFIDE FLAG                           | CHAR       | 1          | O<br>VALUES CAN BE 'P' OR 'E'  |
| FAMILY ACCOUNT FLAG                     | CHAR       | 1          | O<br>(Y / N )<br>By default it will be 'N'   |
| Email Statement Flag                    | Char       | 1          | O<br>(Y/N )<br>By default it will be 'N'   |
| CAS Mode                                | Char       | 2          | O<br>NO: CAS not required<br>PH: Physical CAS required<br>By default it will be 'PH'   |
| Mental Disability                       | Char       | 1          | O<br>Y/N<br>If Mental Disability is Y ,<br>Guardian details is mandatory<br>By default it will be 'N'  |
| Preferred Depository Flag For CAS       | Char       | 1          | C:CDSL- CDSL only can update flag to 'C' only if CAS flag is 'DN'<br>N: NSDL (DP/CDSL can update flag to 'N' only if CAS flag is 'DC')<br>By default it will be NULL(if not indicated by BO) |
| RGESS FLAG                              | CHAR       | 1          | O  |

| FIELD DESCRIPTION                       | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|---|------------|------------|---|
| ANNUAL REPORT FLAG                      | CHAR       | 1          | O   |
| PLEDGE STANDING INSTRUCTION FLAG        | CHAR       | 1          | O   |
| EMAIL RTA DOWNLOAD FLAG                 | CHAR       | 1          | O   |
| BSDA FLAG                               | CHAR       | 1          | O<br>Y : BSDA<br>N : Non BSDA<br>O : Opted Out  |
| 25 BYTE ALPHANUMERIC CODE 2 USER TEXT 2 | CHAR       | 50         | N (NOT MODIFIABLE)  |
| MODE OF OPERATION                       | NUMBER     | 4          | O<br>Possible values:<br>1 – Jointly<br>2 – Anyone or Survivor                        |
| COMMUNICATION PREFERENCE                | NUMBER     | 4          | O / M<br>Mandatory for a/cs with Joint holders<br>1 – First Holder<br>2 – All Holders |
| NUMERIC 4 (DUMMY)                       | NUMBER     | 4          | N (NOT MODIFIABLE)  |
| SECURITY ACCESS CODE                    | NUMBER     | 2          | O   |
| BO CATEGORY                             | NUMBER     | 2          | N (NOT MODIFIABLE)  |
| BO SETTLEMENT PLANNING FLAG             | CHAR       | 1          | O   |
| DIVIDEND BANK IFS CODE                  | CHAR       | 15         | O   |
| RBI REFERENCE NUMBER                    | CHAR       | 30         | O   |
| RBI APPROVAL DATE                       | DATE       | 8          | O   |
| SEBI REGISTRATION NUMBER                | CHAR       | 24         | O   |
| BENEFICIARY TAX DEDUCTION STATUS        | NUMBER     | 2          | O   |
| SMART CARD REQUIRED                     | CHAR       | 1          | N (NOT MODIFIABLE)  |
| SMART CARD NUMBER                       | CHAR       | 20         | N (NOT MODIFIABLE)  |
| SMART CARD PIN                          | NUMBER     | 10         | N (NOT MODIFIABLE)  |
| ECS/MANDATE                             | CHAR       | 1          | O (MODIFIABLE)  |
| ELECTRONIC CONFIRMATION                 | CHAR       | 1          | O (Y /N)  |
| DIVIDEND CURRENCY                       | NUMBER     | 6          | O   |
| GROUP CODE                              | CHAR       | 8          | O   |
| BO SUB STATUS                           | NUMBER     | 4          | O   |

| FIELD DESCRIPTION        | FIELD TYPE | FIELD SIZE | INPUT TYPE         |
|--------------------------|------------|------------|--------------------|
| CLEARING CORPORATION ID  | NUMBER     | 4          | N (NOT MODIFIABLE) |
| CLEARING MEMBER ID       | CHAR       | 8          | N (NOT MODIFIABLE) |
| STOCK EXCHANGE           | NUMBER     | 2          | N (NOT MODIFIABLE) |
| CONFIRMATION WAIVED      | CHAR       | 1          | O                  |
| TRADING ID               | CHAR       | 8          | N (NOT MODIFIABLE) |
| BO STATEMENT CYCLE CODE  | CHAR       | 2          | O                  |
| CUSTODIAN / PMS EMAIL ID | CHAR       | 50         | O                  |
| DIVIDEND BANK ACCT TYPE  | CHAR       | 12         | O                  |
| DIVIDEND BANK CODE       | CHAR       | 12         | O                  |
| ACCOUNT NUMBER           | CHAR       | 20         | O                  |
| ACCOUNT CURRENCY         | NUMBER     | 6          | O                  |

**Sixth Line (POA Link details): Separate Line to link POA for each holder with Purpose code 0001, 0002 & 0003 or single line to link POA for All holders with purpose code 0004.**

| FIELD DESCRIPTION   | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|---------------------|------------|------------|---|
| 06                  | NUMBER     | 2          | M (Line Number of the record)   |
| POA Register Number | CHAR       | 16         | N Not Modifiable  |
| SETUP DATE          | DATE       | 8          | N Not Modifiable  |
| POA to OPERATE A/C  | CHAR       | 1          | O (Y / N)   |
| GPA/BPA FLAG        | CHAR       | 1          | O<br>B – Bank Specific<br>G – General purpose<br>S – Settlement<br>P – Margin Pledge<br>M – Mutual Fund<br>T – Tender Offer |
| EFFECTIVE FROM DATE | DATE       | 8          | O   |
| EFFECTIVE TO DATE   | DATE       | 8          | O   |
| USER FIELD 1        | NUMBER     | 4          | O   |
| USER FIELD 2        | NUMBER     | 4          | O   |
| REMARKS             | CHAR       | 50         | O   |
| FILLER 1            | CHAR       | 100        | O   |
| FILLER 2            | CHAR       | 20         | O   |
| FILLER 3            | CHAR       | 20         | O   |
| FILLER 4            | CHAR       | 10         | O   |
| FILLER 5            | CHAR       | 10         | O   |
| FILLER 6            | CHAR       | 50         | O   |
| FILLER 7            | CHAR       | 30         | O   |
| FILLER 8            | CHAR       | 30         | O   |
| FILLER 9            | CHAR       | 30         | O   |
| FILLER 10           | CHAR       | 25         | O   |

| FIELD DESCRIPTION      | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|------------------------|------------|------------|---|
| FILLER 11              | CHAR       | 25         | O   |
| FILLER 12              | CHAR       | 25         | O   |
| FILLER 13              | CHAR       | 10         | O   |
| FILLER 14              | CHAR       | 1          | O   |
| FILLER 15              | CHAR       | 17         | O   |
| FILLER 16              | CHAR       | 1          | O   |
| FILLER 17              | CHAR       | 17         | O   |
| FILLER 18              | CHAR       | 100        | O   |
| FILLER 19              | CHAR       | 17         | O   |
| FILLER 20              | CHAR       | 25         | O   |
| FILLER 21              | CHAR       | 15         | O   |
| FILLER 22              | CHAR       | 50         | O   |
| 16 Digit POA Master ID | CHAR       | 16         | M   |
| User Text 1            | CHAR       | 34         | O   |
| FILLER 23              | CHAR       | 50         | O   |
| Purpose Code           | NUMBER     | 4          | M   |
| Transaction Type       | CHAR       | 4          | M<br>Transaction Type Identifier<br>S-Setup<br>M-Modify<br>D-delete |
| FILLER 24              | NUMBER     | 4          | O   |
| SIGNATURE FILE FLAG    | CHAR       | 1          | N (Not Modifiable)  |

**Seventh Line: For permanent address**

| FIELD DESCRIPTION     | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|-----------------------|------------|------------|---|
| N WHERE N = 7         | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD)                     |
| PURPOSE CODE          | NUMBER     | 2          | M<br>PURPOSE CODE = 12                            |
| NAME                  | CHAR       | 100        | N (Not Modifiable)                                |
| MIDDLE NAME           | CHAR       | 20         | N (Not Modifiable)                                |
| LAST / SEARCH NAME    | CHAR       | 20         | N (Not Modifiable)                                |
| TITLE                 | CHAR       | 10         | O   |
| SUFFIX                | CHAR       | 10         | O   |
| FATHER / HUSBAND NAME | CHAR       | 50         | O   |
| ADDRESS 1             | CHAR       | 55         | O   |
| ADDRESS 2             | CHAR       | 55         | O   |
| ADDRESS 3             | CHAR       | 55         | O   |
| COUNTRY CODE          | CHAR       | 02         | O<br>ISO 3166-1 alpha-2 Format                    |
| ZIP CODE              | CHAR       | 10         | O   |
| STATE CODE            | CHAR       | 6          | O<br>IF COUNTRY CODE IS IN(INDIA) THEN STATE CODE |

| FIELD DESCRIPTION | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|-------------------|------------|------------|---|
|                   |            |            | IS MANDATORY IN ISO 3166-2<br>FORMAT                                      |
| STATE             | CHAR       | 25         | 0   |
| CITY              | CHAR       | 25         | 0   |
| CITY SEQUENCE NO  | NUMBER     | 2          | 0<br>If country code is IN then<br>mandatory. Default value<br>will be 00 |
| FAX               | CHAR       | 17         | 0   |
| INCOME TAX PAN    | CHAR       | 25         | 0   |
| IT CIRCLE         | CHAR       | 15         | 0   |
| USER TEXT 1       | CHAR       | 50         | 0   |
| USER TEXT 2       | CHAR       | 50         | 0   |
| USER FIELD 3      | NUMBER     | 4          | 0   |
| USER FIELD 4      | CHAR       | 4          | 0<br>Transaction Type Identifier<br>S-Setup<br>M-Modify                   |
| USER FIELD5       | NUMBER     | 4          | 0   |
| FILLER            | CHAR       | 100        | 0   |

**Eight line onwards lines can be added to enter Additional Name and Address for following purpose codes**

- Purpose Code 06 – Nominee Name and address
- Purpose Code 07 – Guardian Name and address
- Purpose Code 08 – Nominee’s Guardian Name and address
- Purpose Code 18 – Authorized Signatory
- Purpose Code 23 – PMS Manager Details (Mandatory for PMS Client account)

| FIELD DESCRIPTION        | FIELD TYPE | FIELD SIZE | INPUT TYPE                       |
|--------------------------|------------|------------|----------------------------------|
| N WHERE N > 7            | NUMBER     | 2          | M (LINE NUMBER OF THE<br>RECORD) |
| PURPOSE CODE             | NUMBER     | 2          | M                                |
| NAME                     | CHAR       | 100        | 0                                |
| MIDDLE NAME              | CHAR       | 20         | 0                                |
| LAST / SEARCH NAME       | CHAR       | 20         | 0                                |
| TITLE                    | CHAR       | 10         | 0                                |
| SUFFIX                   | CHAR       | 10         | 0                                |
| FATHER / HUSBAND<br>NAME | CHAR       | 50         | 0                                |
| ADDRESS 1                | CHAR       | 55         | 0                                |
| ADDRESS 2                | CHAR       | 55         | 0                                |
| ADDRESS 3                | CHAR       | 55         | 0                                |

| FIELD DESCRIPTION           | FIELD TYPE | FIELD SIZE  | INPUT TYPE   |
|-----------------------------|------------|---|--|
| COUNTRY CODE                | CHAR       | 02  | 0<br>ISO 3166-1 alpha-2 Format   |
| ZIP CODE                    | CHAR       | 10  | 0  |
| STATE CODE                  | CHAR       | 6   | 0<br>IF COUNTRY CODE IS IN(INDIA) THEN STATE CODE IS MANDATORY IN ISO 3166-2 FORMAT            |
| STATE                       | CHAR       | 25  | 0  |
| CITY                        | CHAR       | 25  | 0  |
| CITY SEQUENCE NO            | NUMBER     | 2   | 0<br>If country code is IN then mandatory. Default value will be 00                            |
| MOBILE / TELEPHONE ISD CODE | CHAR       | 6   | 0<br>MANDATORY IF MOBILE NUMBER IS PRESENT   |
| MOBILE / TELEPHONE NUMBER   | CHAR       | 17  | 0<br>MANDATORY IF MOBILE NUMBER ISD CODE IS PRESENT  |
| DATE OF BIRTH               | DATE       | 8   | 0  |
| FAX                         | CHAR       | 17  | 0  |
| INCOME TAX PAN              | CHAR       | 10  | 0  |
| UID                         | CHAR       | 16  | 0  |
| UID VERIFICATION FLAG       | CHAR       | 1   | 0<br>0 – NOT VERIFIED<br>2 – VERIFIED BY DP  |
| NAME CHANGE REASON CODE     | CHAR       | 2   | 0<br>(Mandatory if NAME is changed)  |
| IT CIRCLE                   | CHAR       | 15  | 0  |
| PRIMARY E-MAIL              | CHAR       | 100   | 0  |
| USER TEXT 1 (AS Remarks)    | CHAR       | 50  | 0<br>Authorised Signatory Remarks  |
| USER TEXT 2                 | CHAR       | 50<br>12 CHARACTER SEBI REGISTRATION NUMBER OF PMS MANAGER (PURPOSE CODE 23) FOLLOWED BY SPACES | 0<br>12 CHARACTER SEBI REGISTRATION NUMBER OF PMS MANAGER (PURPOSE CODE 23) FOLLOWED BY SPACES |
| USER FIELD 3                | NUMBER     | 4   | 0  |

| FIELD DESCRIPTION        | FIELD TYPE | FIELD SIZE | INPUT TYPE   |
|--------------------------|------------|------------|--|
| USER FIELD 4             | CHAR       | 4          | M<br>Transaction type identifier<br>S-setup<br>M-modify<br>D-delete  |
| USER FIELD5              | NUMBER     | 4          | O<br>For AS<br>Na Seq numb of AS   |
| NOMINEE SERIAL NUMBER    | NUMBER     | 2          | M (For Purpose code 6 and 8)<br>Values:<br>01– First nominee<br>02 – Second Nominee<br>03 – Third Nominee<br>O – Other than Purpose code 6 & 8   |
| RELATIONSHIP WITH BO     | NUMBER     | 2          | M (For Purpose code 6,7,8)<br>O – other than Purpose code 6,7,8<br>Values can Be:<br>01 – Spouse<br>02 – Son<br>03 – Daughter<br>04 – Father<br>05 – Mother<br>06 – Brother<br>07 – Sister<br>08 – Grand-Son<br>09 – Grand-Daughter<br>10 – Grand-Father<br>11 – Grand-Mother<br>12 – Not Provided (if the relationship is not provided on nomination form)<br>13 – Others |
| PERCENTAGE OF SHARES     | NUMBER     | (5,2)      | M (For Purpose code 6)<br>O – Optional for other than Purpose code 6 with default value "00000"<br>The file should have value like 10000(100%), 09725(97.25%), 05000(50%) etc  |
| RESIDUAL SECURITIES FLAG | CHAR       | 1          | M (For Purpose code 6)<br>Values:<br>Y- Yes<br>N- No<br>Default value is "N"<br>O (For Purpose code 7,8,18- it should be space)  |
| FILLER                   | CHAR       | 16         | O<br>Should be blank space   |

| FIELD DESCRIPTION | FIELD TYPE | FIELD SIZE | INPUT TYPE                 |
|-------------------|------------|------------|----------------------------|
| FILLER            | CHAR       | 72         | O<br>Should be blank space |
| FILLER            | CHAR       | 1          | O<br>Should be blank space |
| FILLER            | CHAR       | 1          | O<br>Should be blank space |
| FILLER            | CHAR       | 10         | O<br>Should be blank space |

For Mapping of CM Accounts With CM POA / PMS POA / DDPI Master.

| FIELD DESCRIPTION  | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|--|------------|------------|---|
| N WHERE N > 7  | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD)                         |
| PURPOSE CODE<br>21 Mapping of CM<br>Accounts With CM POA /<br>PMS POA / DDPI Master. | NUMBER     | 2          | M   |
| MAPPING UNMAPPING<br>FLAG  | NUMBER     | 1          | 1- Mapping<br>2-Unmapping<br>3- Map All CM Accounts   |
| EX ID  | NUMBER     | 2          | O   |
| CM ID  | CHAR       | 8          | O   |
| CM Account To Be<br>Mapped   | CHAR       | 16         | O<br>Mandatory if MAPPING<br>UNMAPPING FLAG is 1 or 2 |

The following line is added for capturing BO-UCC Linking / Delinking (Unique Client Code) details.

| FIELD DESCRIPTION   | FIELD TYPE | FIELD SIZE | INPUT TYPE  |
|---|------------|------------|---|
| N WHERE N > 7   | NUMBER     | 2          | M (LINE NUMBER OF THE RECORD)   |
| PURPOSE CODE<br>22<br>BO-UCC Linking /<br>Delinking Details | NUMBER     | 2          | M   |
| BO-UCC Link Add/Delete<br>Flag                              | CHAR       | 1          | M<br>(A-Add and D-Delete. In Both<br>cases all details are mandatory)   |
| Consent Flag  | NUMBER     | 2          | M<br>1-BO-UCC Linking/ Delinking<br>will be done only for the Boid<br>provided in line 01<br>2- BO-UCC Linking/ Delinking |



|  |        |    | will be done for all BO accounts with same 1 <sup>st</sup> Holder PAN |
|--|--------|----|---|
| Exchange ID                            | Number | 2  | M   |
| UCC<br>(Unique Client Code)            | CHAR   | 11 | M   |
| Segment Code<br>(Settlement type code) | CHAR   | 2  | M   |
| CM ID<br>(Clearing Member Code)        | CHAR   | 8  | M   |
| TM Code<br>(Trading Member Code)       | CHAR   | 8  | M   |

**NOTES:**

- No field separators should be used.
- Spaces should be used in case if a field does not have a value.
- All numeric fields should be right justified with zero padding.
- All alphanumeric fields should be left-justified with padding as spaces.
- Only the fields to be modified should be entered in the file.
- The Non-Modifiable fields should be entered as spaces.
- If any field is to be modified to blank or zeroes, then @ should be entered.
- For e.g. if the BO Title is to be modified to blanks, then @ should be entered 10 times as the length of the field is 10. @@@@@@@@@@
- DP is allowed to modify PAN, PAN Exemption Code and PAN Verification Code when PAN verification code is '0'
- If PAN Exemption Code is 'C', then only DP is allowed to change PAN, PAN Exemption Code and PAN Verification Code.
- For Permanent address modification User Field 4 is M or blank
- Purpose code for POA link are -
  1. 0001 for First Holder
  2. 0002 for Second Holder
  3. 0003 for Third Holder
  4. 0004 for All Holders – only for POA link setup
- For POA Master ID name and address modify through second line.
- For Mantra accounts, in 06 line for POA link, Effective To Date should be 00000000
- For deletion of POA Link details Specify holder purpose code and POA Master id only for active POA Link
- For modification of PAN for 2<sup>nd</sup> or 3<sup>rd</sup> holder, the PAN Verification Flag to be given in Line "02" (second line).
- Product Details

- ECS Mandate flag is 'Y' then must specify correct Dividend bank details
- For minor to major bo sub status
  - Specify major BO sub status
  - Specify delete guardian details
- Changes for CAS and Mental Disability Flag
  - If Mental Disability Flag is 'Y', then the Guardian Details will be mandatory
  - For Preferred Depository Flag for CAS, it has the below 2 conditions:  
C: CDSL- (CDSL only can update flag to 'C' only if CAS flag is 'DN')  
N: NSDL (DP/CDSL can update flag to 'N' only if CAS flag is 'DC')  
By default it will be NULL (if not indicated by BO)
- BO REQUEST RECEIVE DATE- Date (with time) on which request received from BO.
- Mapping of CM Accounts With CM POA Master
  - The purpose code 21 can be repeated for mapping of multiple CM Accounts with CM POA Master, but the line number should be in incremental order.
- The Family Account Flag will be applicable only for BO and not for POA.
- The Custodian Email ID will be applicable only for BO and not for POA. Income range slabs are to be updated as per below mentioned details.

## I Income Range for Individuals -

| Code | Description            |
|------|------------------------|
| 1    | Upto Rs.1 lakhs        |
| 6    | 1,00,001 To 5,00,000   |
| 7    | 5,00,001 To 10,00,000  |
| 8    | 10,00,001 To 25,00,000 |
| 9    | MORE THAN 25,00,000    |

## II Income Range for Non-Individuals

| Code | Description              |
|------|--------------------------|
| 1    | Upto Rs.1 lakhs          |
| 6    | 1,00,001 To 5,00,000     |
| 7    | 5,00,001 To 10,00,000    |
| 8    | 10,00,001 To 25,00,000   |
| 10   | 25,000,01 to 1,00,000,00 |
| 11   | More than 1,00,000,00    |

- Communication Preference
  - If communication preference value is selected as "2" (All Holders) then, Email and Mobile no of joint holders will be mandatory.

- PMS manager details are mandatory for PMS client account opening. For PMS manager details, in BO name specify PMS Manager Name and enter SEBI registration number of PMS manager in User Text 2 field. Other Field details not required for PMS manager details.

- ***Name deletion:***

***The details for "Deletion Flag for Second Holder", "Reason Code for Deletion" and "Date of Death of Second holder" fields should be captured only if the Second holder of existing BO has died.***

***The details for "Deletion Flag for Third Holder", "Reason Code for Deletion" and "Date of Death of Third holder" fields should be captured only if the Third holder of existing BO has died.***